



Übergangsnippel Adaptateur femelle - mâle Male adaptor


SO 00040

Type -G-R	Mat.-Nr.	bar	SW	L	b	z	e	kg/100
G=Rohrgewinde (zylindrisch)	G=Filetage-gaz BSP (cylindrique)		G=BSP thread (parallel)					
R=Rohrgewinde (kegelig)	R=Filetage-gaz BSP (conique)		R=BSP thread (tapered)					
SO 00040-1/8-1/8	246.0401.042	125	14	18.0	10.5	5.5	4.0	1.200
SO 00040-1/8-1/4	246.0401.044	125	14	22.0	14.5	6.5	4.0	1.960
SO 00040-1/8-3/8	246.0401.046	125	17	24.0	16.5	8.5	4.0	3.820
SO 00040-1/8-1/2	246.0401.048	125	22	28.0	20.5	10.5	4.0	7.680
SO 00040-1/4-1/8	246.0401.102	125	17	20.0	12.0	7.0	5.0	1.780
SO 00040-1/4-1/4	246.0401.104	125	17	24.0	16.0	8.0	6.0	2.600
SO 00040-1/4-3/8	246.0401.106	125	17	24.0	16.0	8.0	6.0	3.160
SO 00040-1/4-1/2	246.0401.108	125	22	28.0	20.0	10.0	6.0	5.820
SO 00040-3/8-1/8	246.0401.162	100	22	22.0	13.5	8.5	4.0	3.650
SO 00040-3/8-1/4	246.0401.164	100	22	26.0	17.5	9.5	8.0	3.620
SO 00040-3/8-3/8	246.0401.166	100	22	26.0	17.5	9.5	8.0	4.430
SO 00040-3/8-1/2	246.0401.168	100	22	28.0	19.5	9.5	8.0	6.040
SO 00040-1/2-1/4	246.0401.224	100	27	28.0	17.5	9.5	7.0	6.160
SO 00040-1/2-3/8	246.0401.226	100	27	28.0	17.5	9.5	10.0	5.950
SO 00040-1/2-1/2	246.0401.228	100	27	30.0	19.5	9.5	12.0	7.080
SO 00040-1/2-3/4	246.0401.232	100	30	32.0	21.5	9.5	12.0	12.080

Übergangsnippel NPT Adaptateur femelle - mâle NPT Male adaptor NPT


SO 00040 NPT

Type -G-RNPT	Mat.-Nr.	bar	SW	L	b	z	e	kg/100
G=Rohrgewinde (zylindrisch)	G=Filetage-gaz BSP (cylindrique)		G=BSP thread (parallel)					
RNPT=NPT Gewinde	RNPT=Filetage NPT		RNPT=NPT thread					
SO 00040-1/8-1/8 NPT	246.0402.042	125	14	20.0	12.5	5.5	4.0	1.270
SO 00040-1/8-1/4 NPT	246.0402.044	125	14	24.0	16.5	6.5	4.0	1.960
SO 00040-1/4-1/8 NPT	246.0402.102	125	17	22.0	14.0	7.0	5.0	1.830
SO 00040-1/4-1/4 NPT	246.0402.104	125	17	26.0	18.0	8.0	6.0	2.690
SO 00040-1/4-3/8 NPT	246.0402.106	125	17	27.0	18.0	8.0	6.0	3.490
SO 00040-3/8-1/4 NPT	246.0402.164	100	22	28.0	19.5	9.5	8.0	3.820
SO 00040-3/8-3/8 NPT	246.0402.166	100	22	28.0	19.5	9.5	8.0	4.800
SO 00040-1/2-3/8 NPT	246.0402.226	100	27	30.0	19.5	9.5	10.0	6.250
SO 00040-1/2-1/2 NPT	246.0402.228	100	27	35.0	24.5	10.5	12.0	7.980

Fortsetzung nächste Seite

Suite à la prochaine page

Continued on next page